

Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP MORADO SUPER CLEANER GL
Material number	:	0000000000085621
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	purple
Odour	ether-like

GHS Classification

Skin corrosion Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 1 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	: Prevention: P260 Do not breathe dust/fume/ gas/mist/vapours/ spray.



Version 3.0 Revision Date 10/16/2017 Print Date 10/27/2017
 P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh ai and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously wi water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P314 Get medical advice/ attention if you feel unwell. P363 Wash contaminated clothing before reuse. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium hydroxide	1310-73-2	>= 3 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 5
Fatty acids, tall-oil, sodium salts	61790-45-2	>= 1 - < 3
sodium dodecylbenzenesulfonate	25155-30-0	>= 1 - < 5
sodium xylenesulphonate	1300-72-7	>= 1 - < 5
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention immediately.
lf inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.



Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017
	Wash off immediately with plenty of wa minutes. If skin irritation persists, call a physicia Remove contaminated clothing and sh Wash contaminated clothing before re	in. 10es.
In case of eye contact	 Small amounts splashed into eyes car tissue damage and blindness. Rinse immediately with plenty of water for at least 15 minutes. Continue rinsing eyes during transport Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a spece 	, also under the eyelids, to hospital.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an ur If symptoms persist, call a physician. DO NOT induce vomiting unless direct physician or poison control center. Take victim immediately to hospital.	
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed. Symptoms may include blistering, irrita Effects are dependent on exposure (de contact time). Symptoms may include shortness of b irritation of the nose, eyes, lips, mouth Causes severe skin burns and eye dar Review section 2 of SDS to see all potential of the section of the	ose, concentration, reath, dry cough, and , and throat. mage.
Notes to physician	: Treat symptomatically. Symptoms ma	y be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017
Further information	: Collect contaminated fire extingui must not be discharged into drain Fire residues and contaminated f be disposed of in accordance with	is. ire extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	



Varcian	20
Version	3.0

Revision Date 10/16/2017

Print Date 10/27/2017

		exposure)	Permissible concentration	
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYE THANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

Personal protective	equipment
---------------------	-----------

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks	:	Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety goggles Face-shield
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Version 3.0

Revision Date 10/16/2017

Print Date 10/27/2017

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Appearance	•	ilquid
Colour	:	purple
Odour	:	ether-like
Odour Threshold	:	No data available
рН	:	13.0 - 14.0
Melting point/freezing point	:	No data available
Boiling point	:	98.9 °C
Flash point	:	93.3 °C Method: closed cup
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	not determined
Relative vapour density	:	No data available
Density	:	1.063 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	6.6 mm2/s (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.



Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017
Incompatible materials	: Acids Metals Oxidizing agents	
Hazardous decomposition products	: No hazardous decomposition prod	lucts are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,350 mg/kg



Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017			
2-butoxyethanol:					
Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg				
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg				
sodium dodecylbenzenes	ulfonate :				
Acute oral toxicity	: LD50 Oral Rat: 438 mg/kg				
Alcohols, C9-11, ethoxylat	ed:				
Acute oral toxicity	: LD50 Oral Rat: 1,400 mg/kg				
Skin corrosion/irritation					
Product:					
Remarks: Extremely corrosi	ve and destructive to tissue.				
Serious eye damage/eye irritat	tion				
Product:					
Remarks: May cause irrever	sible eye damage.				
Respiratory or skin sensitisatio	n				
No data available					
Germ cell mutagenicity					
No data available					
Carcinogenicity					
No data available					
Reproductive toxicity					
No data available					
STOT - single exposure					
No data available					
STOT - repeated exposure					
Components:					

tetrasodium ethylenediaminetetraacetate: Exposure routes: Inhalation Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

No data available

Further information

Product:



Version 3.0

Revision Date 10/16/2017

Print Date 10/27/2017

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- :	Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological : information	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



Version 3.0

Revision Date 10/16/2017

Print Date 10/27/2017

Zepino

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

TSCA list

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:



Version 3.0	sion 3.0 Revision Date 10/16/2017		Print Date 10/27/2017	
	2-butoxyethanol	111-76-2	3.5131 %	
	2-(2-butoxyethoxy)ethanol	112-34-5	0.9845 %	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



OSHA - GHS Label Information:

USHA - GHS Laber mormation.		
Hazard pictograms		
Signal w ord	: Danger:	
Hazard statements	: Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.	
Precautionary statements		
	Prevention: Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin	



Version 3.0	Revision Date 10/16/2017	Print Date 10/27/2017
	thoroughly after handling. Wear protective gloves/pro face protection.	tective clothing/ eye protection/
	Response: IF SWALLOWED: Rinse mouth. Do NOT i hair): Take off immediately all contaminated clothing. F INHALED: Remove person to fresh air and keep comf call a POISON CENTER/doctor. IF IN EYES: Rinse ca	Rinse skin w ith w ater/shower. IF ortable for breathing. Immediately
	minutes. Remove contact lenses, if present and easy Immediately call a POISON CENTER/doctor. Get med	to do. Continue rinsing.

unw ell. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/ container to an approved w aste disposal plant.

Version:	3.0
Revision Date:	10/16/2017
Print Date:	10/27/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.