Version 1.2

Revision Date 11/02/2015

Print Date 06/30/2016

Zepinc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP KLEAR 1 CS 12 QTS PLASTIC
Material number	:	00000000000062911
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	blue
Odour	alcohol-like

GHS Classification

Flammable liquids	: Category 2
Acute toxicity (Oral)	: Category 3
Acute toxicity (Inhalation)	: Category 3
Acute toxicity (Dermal)	: Category 3
Specific target organ toxicity -	: Category 1
single exposure	

GHS Label element

Hazard pictograms	
Signal word	Danger
Hazard statements	 H225 Highly flammable liquid and vapour. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled H370 Causes damage to organs.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed.



Version 1.2	Revision Date 11/02/2015	Print Date 06/30/2016
	 P240 Ground/bond container and P241 Use explosion-proof electric equipment. P242 Use only non-sparking tools P243 Take precautionary measure P260 Do not breathe dust/fume/ P264 Wash skin thoroughly after IP P270 Do not eat, drink or smoke of P271 Use only outdoors or in a we P280 Wear protective gloves/ eye Response: P301 + P310 + P330 IF SWALLO POISON CENTER or doctor/ phys P303 + P361 + P353 IF ON SKIN immediately all contaminated clot shower. P304 + P340 + P311 IF INHALED and keep at rest in a position com POISON CENTER or doctor/ phys P307 + P311 IF exposed: Call a F physician. P363 Wash contaminated clothing P370 + P378 In case of fire: Use of alcohol-resistant foam for extinction Storage: P403 + P233 Store in a well-ventil tightly closed. P403 + P235 Store in a well-ventil P405 Store locked up. Disposal: Dispose of contents/container in regulation. 	 cal/ ventilating/ lighting/ cal/ ventilating/ lighting/ cal/ ventilating/ lighting/ cal/ ventilating/ lighting/ cal/ vapours/ spray. cal/ asician. Rinse mouth. cor hair): Remove/ Take off cor hair): Remove victim to fresh air fortable for breathing. Call a sician. POISON CENTER or doctor/ g before reuse. dry sand, dry chemical or on. ated place. Keep container ated place. Keep cool.
Potential Health Effects		
Carcinogenicity: IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	nogen or potential
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	nogen or potential
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components



 Version 1.2
 Revision Date 11/02/2015
 Print Date 06/30/2016

 Chemical Name
 CAS-No.
 Concentration [%]

 methanol
 67-56-1
 >= 90 - <= 100</td>

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or wat courses.	er
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	 Collect contaminated fire extinguishing water separately. T must not be discharged into drains. Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. 	

SAFETY DATA SHEET

Version 1.2

ZEP KLEAR 1 CS 12 QTS PLASTIC Revision Date 11/02/2015



Print Date 06/30/2016

Special protective equipment : Wear self-contained breathing apparatus for firefighting if for firefighters necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid :	Keep away from oxidizing agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Version 1.2

Print Date 06/30/2016

ZepInc

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Personal protective equipme		
Respiratory protection	n the case of vapour formation use a respirator with a approved filter.	n
Hand protection Remarks	The suitability for a specific workplace should be discu vith the producers of the protective gloves.	issed
Eye protection	Eye wash bottle with pure water Fightly fitting safety goggles	
Skin and body protection	mpervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work	place.
Hygiene measures	Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after hand product.	dling the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



ZEP KLEAR 1 CS 12 QTS PLASTIC

sion 1.2	Revision Date 11/02/2015	Print Date 06/30/20
Appearance	: liquid	
Colour	: blue	
Odour	: alcohol-like	
Odour Threshold	: No data available	
рН	: No data available	
Boiling point	: 64.4 °C	
Flash point	: 11.7 °C Method: closed cup	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 0.796 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in ho	ot water
Partition coefficient: n- octanol/water	: No data available	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 2.9 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Alkali metals Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION



Version 1.2	Revision Date 11/02/2015	Print Date 06/30/2016
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 100.46 mg/kg Method: Calculation method	
Acute inhalation toxicity	: Acute toxicity estimate : 3.01 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : 301.38 mg/kg Method: Calculation method	
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irritation		
No data available		
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
methanol:		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: Solvents may degi	ease the skin.	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity



Version 1.2	Revision Date 11/02/2015	Print Date 06/30/2016
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

SAFETY DATA SHEET



ZEP KLEAR 1 CS 12 QTS PLASTIC

Version 1.2

Revision Date 11/02/2015

Print Date 06/30/2016

UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (METHANOL), 3, (6.1), II - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1992, Flammable liquid, toxic, n.o.s., (METHANOL), 3, (6.1), II - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1992, Flammable liquid, toxic, n.o.s., (METHANOL), 3, (6.1), II - Limited quantity

Transportation Regulation: TDG (Canada): UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (METHANOL), 3, (6.1), II - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methanol	67-56-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard	
SARA 302	: No chemicals in this material are subj requirements of SARA Title III, Section	
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:	
	methanol	67-56-1 99.5418 %
California Prop 65	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	
methanol		67-56-1

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.2

Revision Date 11/02/2015

Print Date 06/30/2016

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Highly flammable liquid and vapour. Toxic if sw allowed, in contact with skin or if inhaled
	Causes damage to organs.
Precautionary statements	
	 Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/ gas/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke w hen using this product. Use only outdoors or in a w ell-ventilated area. Wear protective gloves/eye protection/face protection. Response: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin w ith w ater/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foamfor extinction. Storage: Store in a w ell-ventilated place. Keep container tightly closed. Store in a w ell-ventilated place. Keep cool. Store locked up. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.2
Revision Date:	11/02/2015
Print Date:	06/30/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.



Version 1.2

Revision Date 11/02/2015

Print Date 06/30/2016

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.